


Patent claims:

1. Use of an indoline derivative of formula




wherein


R<sub>1</sub> is hydrogen; C<sub>1</sub>-C<sub>5</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkoxy; or halogen;

R<sub>2</sub> is C<sub>1</sub>-C<sub>8</sub>alkyl; C<sub>5</sub>-C<sub>7</sub>cycloalkyl; C<sub>6</sub>-C<sub>10</sub>aryl;


R<sub>3</sub> is C<sub>1</sub>-C<sub>18</sub>alkyl; or a radical of formula (1a)




R<sub>4</sub> is hydrogen; or a radical of formula (1b)



R<sub>5</sub> is a radical of formula (1c)



; C<sub>1</sub>-C<sub>18</sub>alkoxy; or a radical of formula





R<sub>6</sub> and R<sub>7</sub> are each independently of the other hydrogen; or C<sub>1</sub>-C<sub>5</sub>alkyl;

R<sub>8</sub> is hydrogen; C<sub>1</sub>-C<sub>5</sub>alkyl; C<sub>5</sub>-C<sub>7</sub>cycloalkyl; phenyl; phenyl-C<sub>1</sub>-C<sub>3</sub>alkyl;


R<sub>9</sub> is C<sub>1</sub>-C<sub>18</sub>alkyl;

X is halogen; a radical of formula (1e)



n is 0; or 1,  
as a light-protective agent.

2. Use according to claim 1, wherein, in formula (1),



R<sub>8</sub> is hydrogen; C<sub>1</sub>-C<sub>5</sub>alkyl; or phenyl.


3. Use according to claim 2, wherein

R<sub>8</sub> is hydrogen or methyl.


4. Use according to claim 2, wherein

R<sub>5</sub> is C<sub>1</sub>-C<sub>18</sub>alkoxy.

5. Use according to claim 4, wherein



6. Use according to claim 1, wherein



"00000" 0.100

2

1

•

lo




11a

21

410




41



*Blent*

$R_5$  is  $C_5$ - $C_{18}$ alkoxy; a radical of formula (1b); or a radical of formula

(1d)  $—CH=C-C\equiv N$  ;



$R_9$  is  $C_1$ - $C_{18}$ alkyl; or

$R_4$  and  $R_5$  denote a radical of formula (1b).

200210-4995007